VOL. 643 NOS. 1+2 JOURNAL OF CHROMATOGRAPHY JULY 23, 1993

CONTENTS

CHROMATOGRAPHY IN ENVIRONMENTAL ANALYSIS, PART II

APPLICATIONS

Chromatographic techniques used to determine benz[*c*]acridines in environmental samples (Review)
by N. Motohashi and K. Kamata (Tokyo, Japan) and R. Meyer (Irvine, CA, USA) 1

Air pollution

Sampling and analysis of volatile organic compounds in estuarine air by gas chromatography and mass spectrometry
by A. P. Bianchi (Milton Keynes, UK) and M. S. Varney (Southampton, UK) 11

Practical method for monitoring polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans in the atmosphere
by K. Kuwata, Y. Yamashita, S. Nakashima, Y. Nakato, T. Kohno, S. Tanaka, T. Okumura and Y. Yamaguchi (Osaka, Japan) 25

Determination of volatile amines in air by diffusive sampling, thiourea formation and high-performance liquid chromatography
by R. Lindahl, J.-O. Levin and K. Andersson (Umeå, Sweden) 35

Selective clean-up for polynuclear aromatic compounds in airborne particles and soil
by T. Spitzer (Helmstedt, Germany) 43

Evaluation of a modified Marcali technique with high-performance liquid chromatography–ultraviolet detection for the determination of 2,4-toluene diisocyanate in air
by M. Colli and L. Zabarini (Monza, Italy) and G. V. Melzi d'Eril and R. Marchetti (Pavia, Italy) 51

Identification and determination of biogenic and anthropogenic volatile organic compounds in forest areas of Northern and Southern Europe and a remote site of the Himalaya region by high-resolution gas chromatography–mass spectrometry
by P. Ciccioli, E. Brancaleoni, A. Cecinato, R. Sparapani and M. Frattoni (Monterotondo Scalo, Italy) 55

Assessment of ambient volatile hydrocarbons from tobacco smoke and from vehicle emissions
by G. Barrefors and G. Petersson (Gothenburg, Sweden) 71

Evaluation of capillary gas chromatography for the measurement of C_2–C_{10} hydrocarbons in urban air samples for air pollution research
by J. Y. K. Lai, E. Matisová, D. He, E. Singer and H. Niki (North Ontario, Canada) 77

Study of polychlorinated dibenzodioxins and furans from municipal waste incinerator emissions in the Netherlands: analytical methods and levels in the environment and human food chain (Review)
by A. P. J. M. de Jong, A. K. D. Liem and R. Hoogerbrugge (Bilthoven, Netherlands) 91

Detection of airborne cocaine and heroin by high-throughput liquid-absorption preconcentration and liquid chromatography–electrochemical detection
by S. Zaromb, J. Alcaraz and D. Lawson (Argonne, IL, USA) and C. S. Woo (Cedar Falls, IA, USA) 107

Water pollution

Environmental Protection Agency and other methods for the determination of priority pesticides and their transformation products in water (Review)
by D. Barceló (Barcelona, Spain) 117

Pollutants in drinking water and waste water
by H. Fr. Schröder (Aachen, Germany) 145

Determination of ethylenethiourea in water samples by gas chromatography with alkali flame ionization detection and mass spectrometric confirmation
by J. M. van der Poll, G. G. Versluis-de Haan and O. de Wilde (Zeist, Netherlands) 163

Determination of alkylbenzenesulphonates in environmental water by anion-exchange chromatography
by Y. Yokoyama, M. Kondo and H. Sato (Yokohama, Japan) 169

Screening methods for asulam, oxine-copper and thiram in water by high-performance liquid chromatography after enrichment with a minicolumn
by T. Suzuki, K. Yaguchi and I. Kano (Tokyo, Japan) 173

Chromatographic methods for the analysis of size-classified and individual raindrops
by K. Bächmann, I. Haag, T. Prokop, A. Röder and P. Wagner (Darmstadt, Germany) 181

Comparison of the abundance of the fecal sterol coprostanol and fecal bacterial groups in inner-shelf waters and sediments near Sydney, Australia
by P. D. Nichols, R. Leeming, M. S. Rayner and V. Latham (Hobart, Australia) and N. J. Ashbolt and C. Turner (West Ryde, Australia) 189

Determination of pesticides in river water by gas chromatography–mass spectrometry–selected-ion monitoring
by H. Kobayashi, K. Ohyama, N. Tomiyama, Y. Jimbo, O. Matano and S. Goto (Ibaraki, Japan) 197

Solid-phase extraction followed by high-performance liquid chromatographic analysis for monitoring herbicides in drinking water
by A. Balinova (Kostinbrod, Bulgaria) 203

Determination of resin acids by gas chromatography and high-performance liquid chromatography in paper mill effluent, river waters and sediments from the upper Derwent Estuary, Tasmania
by J. K. Volkman and D. G. Holdsworth (Hobart, Australia) and D. E. Richardson (Boyer, Australia) 209

Determination of the potent mutagen 3-chloro-4-dichloromethyl-5-hydroxy-2(5*H*)-franone (MX) in water by gas chromatography with electron-capture detection
by S. Ogawa, H. Kita, Y. Hanasaki and S. Fukui (Kyoto, Japan) and H. Kami (Shiga, Japan) 221

Determination of chlorophenoxy and other acidic herbicide residues in ground water by capillary gas chromatography of their alkyl esters formed by rapid derivatization using various chloroformates
by S. Butz and H.-J. Stan (Berlin, Germany) 227

Gas chromatographic determination of halogenated organic compounds in water and sediment in the Skagerrak
by K. Abrahamsson and A. Ekdahl (Gothenburg, Sweden) 239

Residue analysis

Determination of benomyl and its degradation products by chromatographic methods in water, wettable powder formulations, and crops (Review)
by R. P. Singh (St. Catharines, Canada) and M. Chiba (Vineland Station, Canada) 249

Use of insoluble polyvinylpyrrolidone and isoelectric focusing in the study of humic substances in soils and organic wastes (Review)
by C. Ciavatta and M. Govi (Bologna, Italy) 261

Thin-layer chromatographic methods for use in pesticide residue analysis (Review)
by H. S. Rathore and T. Begum (Aligarh, India) 271

Chromatographic methods in the determination of herbicide residues in crops, food and environmental samples (Review)
by J. Tekel' and J. Kovačičová (Bratislava, Slovak Republic) 291

Residue levels of polynuclear aromatic compounds in urban surface soil from Japan
by T. Spitzer (Helmstedt, Germany) and S. Kuwatsuka (Nagoya, Japan) 305

High-performance liquid chromatographic method for the determination of oxolinic acid residues in crops
by N. Shiga and O. Matano (Tokyo, Japan) 311

Determination of N-methylcarbamates and N-methylcarbamoyloximes in water by high-performance liquid chromatography with the use of fluorescence detection and a single *o*-phthalaldehyde post-column reaction
by V. A. Simon, K. S. Pearson and A. Taylor (Jacksonville, FL, USA) 317

Thin-layer chromatographic behaviour of carbamate pesticides and related compounds
by H. S. Rathore and T. Begum (Aligarh, India) 321

Separation of some chlorophenoxyacetic acid congeners on a porous graphitized carbon column
by T. Cserháti and E. Forgács (Budapest, Hungary) 331

Determination of diflubenzuron residues in water by solid-phase extraction and quantitative high-performance thin-layer chromatography
by J. Sherma and C. Rolfe (Easton, PA, USA) 337

Efficient screening method for determining base/neutral and acidic semi-volatile organic priority pollutants in sediments
by W. M. Davis, J. A. Coates, K. L. Garcia, L. L. Signorella and J. J. Delfino (Gainesville, FL, USA) 341

High-performance liquid chromatographic analysis of carbofuran residues in tomatoes grown in hydroponics
by C. F. Ling, G. P. Melian and F. Jiminez-Conde (Las Palmas de Gran Canaria, Spain) and E. Revilla (Madrid, Spain) 351

Mobility of cadmium as influenced by soil properties, studied by soil thin-layer chromatography
by M. Sánchez-Camazano and M. J. Sánchez-Martín (Salamanca, Spain) 357

Application of solid-phase partition cartridges in the determination of fungicide residues in vegetable samples
by A. Di Muccio, R. Dommarco, D. A. Barbini, A. Santilio, S. Girolimetti, A. Ausili, M. Ventriglia, T. Generali and L. Vergori (Rome, Italy) 363

Liquid chromatographic analysis of antibacterial drug residues in food products of animal origin (Review)
by B. Shaikh and W. A. Moats (Beltsville, MD, USA) 369

Organic micropollutants in Swiss sewage sludge
by P. Frost (Zurich, Switzerland), R. Camenzind and A. Mägert (Belp, Switzerland), R. Bonjour (Liebefeld-Berne, Switzerland) and G. Karlaganis (Berne, Switzerland) 379

Biochemical analysis

Chromatographic determination of volatile solvents and their metabolites in urine for monitoring occupational exposure (Review)
by A. Astier (Créteil, France) 389

Environmental analysis of polychlorinated terphenyls: distribution in shellfish from the Ebro Delta (Mediterranean)
by M. T. Galceran, F. J. Santos, J. Caixach, F. Ventura and J. Rivera (Barcelona, Spain) 399

Rapid isolation of polychlorinated biphenyls from milk by a combination of supercritical-fluid extraction and supercritical-fluid chromatography
by A. G. Mills and T. M. Jefferies (Bath, UK) 409

Determination of paraquat in rat brain by high-performance liquid chromatography
by M. T. Corasaniti and G. Nisticò (Rome, Italy) 419

Ion chromatographic investigation of brown algae (*Fucus vesiculosus*) of the German Environmental Specimen Bank
by V. D. Nguyen and M. Rossbach (Jülich, Germany) 427

Plane tree bark as a passive sampler of polycylic aromatic hydrocarbons in an urban environment
by A. Sturaro, G. Parvoli and L. Doretti (Padova, Italy) 435

Identification and quantification of 18-nor- and 19-norditerpenes and their chlorinated analogues in samples of sediment and fish
by P.-Å. Hynning, M. Remberger and A. H. Neilson (Stockholm, Sweden) and P. Stanley (Jealott's Hill, UK) 439

AUTHOR INDEX VOLS. 642 AND 643 453